



Andy Beshear
GOVERNOR

**FINANCE AND ADMINISTRATION CABINET
DEPARTMENT FOR FACILITIES AND SUPPORT SERVICES
DIVISION OF REAL PROPERTIES**

Bush Building, 3rd Floor
403 Wapping Street
Frankfort, Kentucky 40601
Phone: (502) 564-2205

Holly M. Johnson
SECRETARY

Charles O. Bush, Jr.
COMMISSIONER

Natalie W. Brawner
DIRECTOR

MEMORANDUM

TO: Katherine Halloran, Committee Staff Administrator
Capital Projects and Bond Oversight Committee

FROM: Natalie W. Brawner, Director *NWB*
Division of Real Properties

DATE: February 4, 2026

SUBJECT: PR-5898, Fayette County
Office for Children with Special Healthcare Needs
Cabinet for Health and Family Services
Annual Rental Exceeding \$100,000.00

As outlined, attached please find notification of a lease agreement being processed by our Division's Leased Properties Branch.

If you have any questions or require additional information concerning this matter, please advise.

NWB
Attachment

CC: OSBD
PR-5898 File
NWB

REPORT TO CAPITAL PROJECTS AND BOND OVERSIGHT COMMITTEE

LEASE WITH ANNUAL RENTAL EXCEEDING \$100,000.00

Lease No.: PR-5898		County: Fayette	
Using Agency: Cabinet for Health & Family Services			
Lessor (identify all parties having 5% or more ownership): Attached extra sheet if necessary			
		Kentucky Easter Seal Society, Inc.	
Property Location: 1900 Richmond Road, Lexington, KY 40502			
Check One: <input checked="" type="checkbox"/> New Lease <input type="checkbox"/> Renewal <input type="checkbox"/> Modification			
Type Space: Office/Clinic		Cost Per Square Foot: \$26.50	
Annual Rental Cost: \$149,804.52		Average Cost Per Square Foot of Leased-In Office and Clinic Space in County: \$12.90	
Utilities Included: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			
Cancellation Clause:	<input checked="" type="checkbox"/> Yes If yes, explain terms: 30 Days		<input type="checkbox"/> No If no, explain why not:
Effective Date: To be determined		Expiration Date: June 30, 2033	
Justification for Lease: Please see attached			
Has the Finance & Administration Cabinet complied with statutory requirements: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If no, explain:			
Explain why the Finance & Administration Cabinet chose this lessor (see attached approval memo and modification): Please see attached			

ADDENDUM

The following items are to be considered a part of lease agreement PR-5898, Fayette County, dated January 7, 2026:

SECTION 1

1. The building shall meet all Kentucky building codes and accessibility specifications in accordance with ADA, as enforced by the Kentucky Department of Housing, Buildings and Construction. The Department may require a set of construction plans from the Lessor. The Lessor is required to submit a copy of these plans, if/as approved by the Department, to the Division of Real Properties. The Lessor shall be responsible for determining/complying with the requirements of the Department. Issues such as fire rated corridors, fire suppression systems (if applicable), HVAC installation, etc. are not addressed in the space planning information (i.e., floor plans and specifications) provided by the Division of Real Properties.
2. All facilities with a total leased square footage of 3,000 square feet or more shall be equipped with automatic fire suppression systems (sprinklers). The system shall be installed in accordance with all applicable provisions/requirements of the Department of Housing, Buildings, and Construction. **NOTE: Access to an underground water main with a minimum diameter of six (6) inches is required for sprinkler systems serving spaces that exceed 3,000 square feet.** The Lessor shall be responsible for installation and maintenance of the fire suppression system. The Commonwealth prepares floor plans based on the presence of a suppression system. Should the Lessor submit an exception to this requirement they shall be solely responsible for any expenses associated with additional requirements as determined by the Department.
3. Central heating and air conditioning (HVAC) shall be installed throughout. The HVAC system shall be installed in conformance with Kentucky building codes, as administered by the Kentucky Department of Housing, Buildings and Construction. The Lessor shall also install an adequate fresh air handling system in accordance with applicable ASHRAE Standards. Electronic thermostats with programmable functions shall be installed for new or existing HVAC systems. A standard locking cover shall be installed on the thermostat. The local supervisor, in conjunction with the Lessor, will determine appropriate settings (i.e.: daytime/evening temperature settings, set back timer settings as required by regular office hours, etc.) for each property. Central air units, heat pumps, etc. must be ENERGY STAR qualified where available. Alternative systems (e.g., geo-thermal, etc.) may be proposed at the discretion of the lessor but are subject to review and approval by the Division of Real Properties. The Lessor shall ensure that applicable HVAC systems are serviced (e.g., clean and check) not less than twice annually and filters shall be replaced not less than once per quarter. Documentation regarding annual servicing shall be provided to the Division of Real Properties.
4. The Lessor shall insulate exterior walls at a minimum R-13 or equivalent and the ceiling at a minimum R-38 or equivalent. Weather stripping and/or other suitable insulation shall be applied to all doors and windows and all other exterior of the leased space. This shall be inspected on an annual basis and repaired/replaced as necessary. Windows shall be installed or replaced with Low E/ENERGY STAR qualified windows. The lessor shall provide documentation identifying the type/rating of installed windows. The Lessor shall provide mini-blinds for all windows.
5. Separate utility meters are needed if the using agency is to pay utilities, with service to be established in the name of the using agency. *{Agencies that are billed directly by a local utility should contact the utility company to identify their agency as "tax exempt".}* If a separate meter is not feasible, the Lessor shall bill the using agency on a pro-rated basis. If this method is used, the Lessor shall provide the using agency sufficient documentation to justify the percentage of the total bill to be charged to the using agency. *{Agencies that receive utility invoices from the Lessor (based on the percentage of space occupied) should reimburse the Lessor for the full amount of the invoice including any applicable taxes}.*
6. If a plenum ceiling is to be used, all wiring shall be housed in conduit, or plenum cable shall be used. The Lessor shall advise the Division of Real Properties as soon as possible when it is determined that plenum or a ducted ceiling is to be used. This will ensure that the agency's appointed electricians will be prepared with the right cabling. **Failure to notify the Division of Real Properties of a plenum ceiling, prior to award of a lease, shall be considered grounds for termination of the lease.**

SECTION 2

1. Floor-to-ceiling walls shall be constructed as indicated on the floor plan. Install acoustical insulation (R-11 or equivalent) or soundboard in interior walls if/where indicated on the floor plan. All walls shall be drywalled and painted or repainted a scrubbable neutral color latex enamel paint with either a satin or eggshell finish in conjunction with the floor covering replacement defined in item # 3 below. New walls require a primer coat (sprayed or rolled) and two finish coats (rolled). **Existing walls require one finish coat (rolled) if same color is being used or two finish coats (rolled) if changing color or patching is required.** The Lessor shall install a chair rail at a height of 32" from the floor in the reception area(s).
2. An acoustical tile ceiling shall be installed at a height of 9'.
3. Shelving shall be installed if/where shown on the floor plan.

4. Rest rooms must comply with ADA requirements and be furnished with hot and cold water, toilet tissue holders, soap dispensers, paper towel dispensers, and mirrors. Prior to installation, verify with the using agency the type of dispensers required for products currently on Commonwealth of Kentucky price contract. Water fountain(s) shall be installed as shown on the floor plan, or as approved by the Department of Housing, Buildings, & Construction.
5. Vinyl composition tile (VCT) shall be installed where indicated on the floor plan, luxury vinyl tile shall be installed throughout the remainder of the leased premises.
6. The Lessor shall provide a sink and counter in the break room, with cabinets above and below, if/as shown on the floor plan.
7. The Lessor shall provide in the janitorial closet, shelving at a height of 54" from the floor, and a built-in floor sink with drain at a height of 10" to 12" from the floor.
8. Water Sense labeled products shall be installed as applicable (i.e. restroom, breakroom fixtures, etc.). (See www3.epa.gov/watersense/index.html). Product information (e.g., maximum flow rates, gallons per flush, etc.) shall be provided to the Division of Real Properties prior to installation. Water heaters may be replaced with point of use/demand heaters where feasible and must be appropriately sized for restroom(s), break room(s), and offices or other spaces supplied with water. Water heaters may alternatively be replaced with ENERGY STAR certified water heaters. Upon completion of renovations or construction, the lessor must supply confirmation of the installation of certified/qualified products to the Division of Real Properties. This requirement may be waived for laboratory facilities subject to specific requirements of the tenant agency and approval from the Division of Real Properties.
9. The Lessor shall provide reserved parking for 33 agency staff and visitors, plus accessible space(s) as required by the Department of Housing, Buildings, & Construction. The parking lot shall be asphalted and striped with all spaces clearly marked and identified. All holes and other damage shall be repaired on a timely basis. All spaces shall be a minimum of 9' x 18' with the exception of ADA accessible spaces.
10. The Lessor shall be responsible for the maintenance and upkeep of the grounds surrounding the property, to include mowing/trimming grass and raking leaves. The Lessor shall also be responsible for maintenance and cleaning of the parking lot, including snow removal from the parking lot and snow & ice removal from the sidewalks.

SECTION 3 - Telephone/Computer Access/Electrical Fit Up

1. Adequate recessed fluorescent lighting shall be installed for office use, including telephone/storage rooms, with separate light switches for each room. Light fixtures shall be installed (or all existing fixtures shall be replaced) with T-8 fixtures equipped with direct replacement LED lamps. Alternatively, fixtures may be replaced with LED Contemporary Architectural Troffers or equivalent fixtures. Alternate fixture types may be proposed by the lessor provided that adequate lighting levels are maintained for the proposed facility use and a similar level of efficiency can be documented. The lessor will be responsible for supplying/replacing lamps as required. Sufficient fixtures must be installed to provide adequate lighting levels for the application (e.g., office, storage, clinical/laboratory, etc.).
2. All exit and directional lights shall be the LED type.
3. Appropriate electrical and telephone outlets are to be installed where indicated on the floor plan. The Lessor shall also provide access to phone outlets by conduit. Electrical circuits in the electrical panel box shall be labeled and identified. Lessor shall install electrical surge protection for the main electric service.
4. The Lessor shall install a three-wire, 117 volt, 60 Hz single phase, 20 AMP dedicated 4-plex AC outlet in the wall located within 4' of the telephone system for each telephone system installed in building. **NOTE: The third wire, or ground wire, in this circuit shall be connected to earth/ground.** The Lessor shall install a 5/8", 4' x 8' sheet of plywood (painted black) on the wall in the telephone equipment room for each telephone system installed. If space permits, the plywood will be mounted horizontally.
5. The Lessor shall install an entrance conduit with pull string with a minimum diameter of 4", or other size as recommended by the local telephone service provider (the lessor shall contact the local telephone service provider to determine service entrance requirements and conduit size), through the foundation or building wall to facilitate the incoming telephone service cable to a predetermined telephone company "network access unit" (demarcation point) location within the building. If the "network access unit" does not terminate in the telephone equipment room, the Lessor shall install conduit from the "network access unit" location to the telephone equipment room. **Note: The number and size of this conduit depends on the terminal devices served on a floor, the type of cable used, and the need to use one cable or a cable per floor. At least one spare conduit of the same size with a pull wire should be installed for future expansion.**
6. On multi-story buildings, the Lessor shall install conduit with pull string from the "network access unit" to each designated telephone equipment room (see note for proper sizing of conduit). If telephone closets rooms are vertically aligned, sleeves through the floor may be used instead of conduit.

- 7. The Lessor shall be responsible for providing a closable HVAC vent and cold air return for the telephone equipment room.
- 8. Conduit, cable tray, or raceway fill rate is to comply with the National Electrical Code.
- 9. The Lessor shall obtain basic phone service, including at a minimum the installation of a network access unit (demarcation point), for newly constructed buildings and those facilities not already equipped with a network access unit. The using agency may assume responsibility for the ongoing costs associated with the aforementioned basic phone service, or the Lessor may cancel service, upon occupancy.
- 10. The Lessor shall contact the Division of Real Properties at a point when the agency's electricians can install computer cables and telephone wiring through conduit.
- 11. The Lessor shall provide empty conduit with pull string within the walls from the ceiling on locations shown on the floor plan as voice/data outlets. Similar conduit installations shall be provided above the ceiling for network camera (2) installations above the ceiling in the Assessment and Visitation Rooms where indicated on the floor plan. Install a cut-in box where conduit symbols are shown on the floor plan, the conduit should have smooth edged bushings at the box and above the ceiling. One inch (1") conduit shall be provided for data terminals, printers, and telephone instruments from each designated outlet location. ***NOTE: In most instances, voice/data cables (from individual office conduits) merge above the ceiling and should be supported by cable trays or pass through conduits (sized by number of outlets in the building) to the telephone equipment room or controller location.***

SECTION 4

- 1. Due to the continuing development of new office technology the Lessor authorizes competent agency personnel to install additional security and/or access control equipment, telephone wiring, computer cabling, and conduit or wire molding (as required) to accommodate such technology during the term of the agency's occupancy. Agency will notify the Division of Real Properties for approval before commencing any of this type of work.
- 2. The exterior front of the building shall have a professional office appearance; with street number(s) of subject building displayed prominently.
- 3. Subsequent to the receipt of approval to begin renovations/construction from both the Division of Building Codes Enforcement and the Division of Real Properties, the lessor shall submit an estimated schedule for completion of the renovations/construction. Written progress reports, and a revised completion schedule, if appropriate, shall be submitted to the Division of Real Properties not less than once per month until complete.
- 4. The Division of Real Properties and/or the using agency reserves the right to inspect the facility at any time during construction/renovations/occupation.

Upon verification from the Department of Housing, Buildings, and Construction, Division of Building Codes Enforcement that all life safety regulations and all accessibility specifications (in accordance with ADA) have been satisfactorily met and verification from the Cabinet for Health and Family Services that all renovations have been satisfactorily completed, the lease effective date will be established by signature of the Director, Division of Real Properties, upon the lease document.

ACKNOWLEDGED BY:

ACKNOWLEDGED BY:

Cabinet for Health & Family Services Date

Kentucky Easter Seals Society Date



Andy Beshear
GOVERNOR

**FINANCE AND ADMINISTRATION CABINET
DEPARTMENT FOR FACILITIES AND SUPPORT SERVICES
DIVISION OF REAL PROPERTIES**

Bush Building, 3rd Floor
403 Wapping Street
Frankfort, Kentucky 40601
Phone: (502) 564-2205
Fax: (502) 564-8108

Holly M. Johnson
SECRETARY

Charles O. Bush, Jr.
COMMISSIONER

Natalie W. Brawner
DIRECTOR

MEMORANDUM

TO: Natalie W. Brawner, Director
Division of Real Properties

FROM: Don Sebastian, Program Manager Project Analyst
Division of Real Properties

DATE: January 7, 2026

SUBJECT: PR-5898 Fayette County
Cabinet for Health & Family Services

The Cabinet for Health & Family Services currently occupies 10,912 square feet of space, leased at a rental rate of \$16.50 per square foot (\$180,048.00 annually) excluding utilities and janitorial services, with a term expiring June 30, 2028 (PR-4354). Due to the age and deterioration of the existing building and an overall need for less space, the agency submitted a space request which indicated a need for approximately 5,403 square feet of office space with 33 reserved parking spaces. Pursuant to applicable provisions of KRS 56.803, advertisements were placed, and one best and final proposal was received as follows:


1. Kentucky Easter Seals Society, Inc. proposed renovating space at 1900 Richmond Road, Lexington, Kentucky, with 5,653 square feet of office space and 33 reserved paved parking spaces at \$29.50 per square foot (\$166,763.50 annually) including utilities and janitorial services, through June 30, 2032.

Per KRS 56.803(15)(b), efforts to negotiate more favorable terms for the agency were successful with the lessor agreeing to lower the proposed rental rate from \$29.50 to \$26.50 per square foot and extend the term through June 30, 2033. Therefore, pursuant to applicable provisions of KRS 56.803, the attached lease agreement provides for the use of 5,653 square feet at a rate of \$26.50 per square foot (\$149,804.52 rounded annually), including all utilities and janitorial services, with a term through June 30, 2033. The Cabinet for Health and Family Services has recommended acceptance of the proposal submitted by Kentucky Easter Seals Society, Inc. at the proposed terms as defined herein. Further, the agency has expressed this location presents a unique opportunity to establish a centralized, integrated center of care designed specifically for children and young adults with a patient-centered approach, which is enhanced by co-locating with Easter Seals, Creative Beginnings Child Development Center, pediatric outpatient therapies (speech, occupational, and physical therapy), adult day health services, and specialized Prescribed Pediatric Extended Care (PPEC), along with the Kentucky Children's Hospital Complex Care Clinic, Developmental Pediatrics Clinic, NICU Graduate Clinic, and OCSHCN specialty clinics (Neurology, Cleft Lip and Palate, and Audiology).

Per KRS 56.823(2), Capital Projects and Bond Oversight Committee reporting is required prior to execution of the proposed lease agreement. Approval is recommended to secure suitable office space for the benefit of the Cabinet for Health and Family Services. If you require additional information, please advise.

NWB/DBS/db
Attachment

APPROVED:


Natalie W. Brawner, Director