
Child Fatality and Near Fatality External Review Panel



**Dr. Melissa Currie**, MD, FAAP, Medical Director and Chief, Norton Children's Pediatric Protection Specialist

**Steve Shannon**, Executive Director, KY Association of Regional Programs, Inc.

#### Panel Members

- Panel Chair Hon. Melissa Moore Murphy, Judge Fayette Circuit Court
- Commissioner, DCBS Marta Miranda-Straub
- Commissioner, DPH Dr. Henrietta Bada
- Family Court Judge Hon. Libby Messer
- UK School of Medicine Dr. Christina Howard
- UofL School of Medicine Dr. Melissa Currie
- State Medical Examiner Dr. William Ralston
- Court Appointed Special Advocate Lori Aldridge
- Kentucky State Police Det. Jason Merlo
- Prevent Child Abuse Ky Dr. Jaime Pittenger
- Ky Coalition Against Domestic Violence Isela Arras

#### Panel Members

- Association of Ky MHMR Centers Steve Shannon
- Citizen Foster Care Review Board Dr. Elizabeth Salt
- State Child Fatality Review Team Janice Bright, RN
- President KY Coroner's Association Mark Hammond, Boyd Co.
- Kentucky House of Representatives Vacant
- Kentucky Senate Vacant
- Practicing Prosecutor Vacant
- Practicing Social Work Clinician Vacant
- Practicing Addiction Counselor Vacant
- Family Resource and Youth Service Center Vacant
- Practicing Medication-Assisted Treatment Vacant

## Panel Process





Case Reviews

Annual Report



Findings



Recommendations

### Cases Reviewed by County of Incident 2014-2019



January 18, 2022
Data Source: Child Fatality Near Fatality External Review Panel Shape files from Kentucky Geography Network.
Prepared by Emily Ferrell, MPH, CPH

 Child Fatalities and near fatalities occur in every region in Kentucky.


## Findings



## Findings

 Children four years or younger are at the highest risk for maltreatment

# AGE OF CHILD VICTIM IN ALL CASES REVIEWED: SFY 2020 n= 200




## Findings

- The most commonly found family characteristics in FY20 included:
  - 1. DCBS History (69%)
  - 2. Financial issues (60%)
  - 3. Substance abuse in the home (49%)
  - 4. DCBS issues (48%)
  - 5. Supervisional neglect (48%)
- 62% of Abusive Head Trauma cases involved substance abuse by a caregiver
- 53% of all Blunt Force Trauma (MVC) cases involved an impaired caregiver
- 62% of all Physical abuse cases involved caregivers with a criminal history

Addressing the complexities of substance misuse within families

- Co-occurring Risk Factors
- Enhancing Court Capacity
- Plans of Safe Care for Substance Exposed Infants
- Medication-Assisted Treatment Programs







Expand programs to families that have child welfare involvement and substance misuse issues

Plans of Safe Care

# In Utero Drug Exposure Type FY 2020




## Overdose/Ingestion Categorization FY 2015 - 2020



## Case Study

- One-month old infant died as a result of overlay by the mother
- Mother overdosed on heroin
- Father admitted to heroin use that night
- Infant's postmortem blood tox positive for Fentanyl
- Infant exposed to amphetamine, buprenorphine (Subutex) and nicotine inutero
- Parents met in rehab, both had a significant history of substance abuse, lack of stable employment, and chronic homelessness.

DBHDID should begin expanding the statewide utilization of Psychological Autopsy in youth suicides.





# B





#### ALONE

Alone in their crib

Share the room, not the bed. The safest place for your baby to sleep is in your room, but NOT in your bed.

#### BACK

On Your Back for Nights and Naps

A baby should always sleep on their back at night and during nap time. Back sleeping on a firm mattress in a crib or play yard decreases the risk for SIDS.

#### CRIB

Clean, Clear Crib

A baby's crib should contain a fitted sheet only; no blankets, toys, pillows, bumpers, or other items that could cover a baby's face and suffocate them. Cribs, bassinets and play yards with firm mattresses are the only safe places for babies to sleep.

#### DANGER

Be Aware, Not Impaired

Drinking and drug use impair your ability to care for a baby, making bed-sharing and other unsafe sleep even more dangerous for the baby. 2021 Recommendation

- DCBS
- Medical providers
- Coroners
- Law Enforcement
- Commonwealth/County Attorneys



# Questions

Thank you!