

# POSITIVE OUTCOMES FOR HEALING PLACE OF CAMPBELLVILLE FOR MEN CLIENTS

HEALING PLACE OF CAMPBELLVILLE FOR MEN OUTCOME STUDY FACT SHEET - 2020

Recovery Kentucky was created to help Kentuckians recover from substance abuse, which often leads to chronic homelessness. This fact sheet describes outcomes for 40 men who participated in the Healing Place of Campbellville for Men program and completed an intake survey between July 2016 and June 2018 and a 12-month follow-up survey between July 2017 and June 2019.

*Significant reductions in past-6-month*

## SUBSTANCE USE AND MENTAL HEALTH PROBLEMS



REPORTED ANY  
ILLEGAL DRUG USE

**94%** at intake  
**17%** at follow-up



REPORTED OPIOID  
USE<sup>1</sup>

**57%** at intake  
**3%** at follow-up



REPORTED  
HEROIN USE

**40%** at intake  
**3%** at follow-up



REPORTED  
STIMULANT USE<sup>2</sup>

**77%** at intake  
**3%** at follow-up



MET STUDY  
CRITERIA FOR  
DEPRESSION

**58%** at intake  
**10%** at follow-up



MET STUDY  
CRITERIA FOR  
ANXIETY

**70%** at intake  
**18%** at follow-up



MET STUDY CRITERIA FOR  
COMORBID DEPRESSION  
& ANXIETY

**50%** at intake  
**8%** at follow-up



REPORTED SUICIDAL  
IDEATION AND/OR  
ATTEMPTS

**36%** at intake  
**0%** at follow-up

*Significant improvements in past-6-month*

## ECONOMIC INDICATORS



EMPLOYED AT LEAST  
ONE MONTH

**68%** at intake  
**90%** at follow-up



CURRENTLY  
HOMELESS

**28%** at intake  
**10%** at follow-up



REPORTED DIFFICULTY  
MEETING BASIC LIVING  
NEEDS

**43%** at intake  
**20%** at follow-up



REPORTED DIFFICULTY  
MEETING HEALTH CARE  
NEEDS

**25%** at intake  
**3%** at follow-up



REPORTED ATTENDING  
MUTUAL HELP  
RECOVERY MEETING IN  
THE PAST 30 DAYS

**41%** at intake  
**80%** at follow-up



**8.5**  
average rating

## High levels of satisfaction with RECOVERY CENTER SERVICES

At follow-up, clients were asked about their experiences with recovery center services. They rated their experience on a scale from 1 = not at all right for me to 10 = exactly right for me.

<sup>1</sup> Misuse of opioids other than heroin, including prescription opiates, methadone, and buprenorphine.  
<sup>2</sup> Amphetamine, methamphetamine, Ecstasy, Ritalin.