

AN ACT relating to radon testing in child-care centers.

*Be it enacted by the General Assembly of the Commonwealth of Kentucky:*

➔SECTION 1. A NEW SECTION OF KRS 199.892 TO 199.8996 IS CREATED TO READ AS FOLLOWS:

(1) Effective one (1) year after the effective date of this Act, licensed child-care centers shall be tested for radon at least once every five (5) years by a professional licensed under and acting in compliance with KRS 211.9109.

(2) Effective one (1) year after the effective date of this Act, as part of an initial application or application for renewal as established by KRS 199.896, the cabinet shall require proof the facility has been tested for radon within the last five (5) years, pursuant to the requirements of KRS 211.9109.

(3) (a) The report of the most current radon measurement shall be posted in the child-care center and provided to parents of children attending the child-care center in written format.

(b) The posting shall be:

1. In a manner that is easily readable;
2. In letters and numbers at least three (3) inches high; and
3. In a location accessible to the public.

(c) The cabinet shall promulgate an administrative regulation to specify signage that shall accompany the measurement posting. At a minimum, the signage shall include the following information:

1. An explanation of the health risk associated with radon;
2. The levels of radon exposure at which corrective action is recommended; and
3. Contact information for the state's radon program.

(d) The report to parents required by paragraph (a) of this subsection shall also contain the information specified in paragraph (c) of this subsection.