

1 AN ACT relating to radon testing in child-care centers.

2 *Be it enacted by the General Assembly of the Commonwealth of Kentucky:*

3 ➔SECTION 1. A NEW SECTION OF KRS 199.892 TO 199.8996 IS CREATED
4 TO READ AS FOLLOWS:

5 *(1) Effective one (1) year after the effective date of this Act, licensed child-care*
6 *centers shall be tested for radon at least once every five (5) years by a professional*
7 *licensed under and acting in compliance with KRS 211.9109.*

8 *(2) Effective one (1) year after the effective date of this Act, as part of an initial*
9 *application or application for renewal as established by KRS 199.896, the cabinet*
10 *shall require proof the facility has been tested for radon within the last five (5)*
11 *years, pursuant to the requirements of KRS 211.9109.*

12 *(3) (a) The report of the most current radon measurement shall be posted in the*
13 *child-care center and provided to parents of children attending the child-*
14 *care center in written format.*

15 *(b) The posting shall be:*

16 *1. In a manner that is easily readable;*

17 *2. In letters and numbers at least three (3) inches high; and*

18 *3. In a location accessible to the public.*

19 *(c) The cabinet shall promulgate an administrative regulation to specify*
20 *signage that shall accompany the measurement posting. At a minimum, the*
21 *signage shall include the following information:*

22 *1. An explanation of the health risk associated with radon;*

23 *2. The levels of radon exposure at which corrective action is*
24 *recommended; and*

25 *3. Contact information for the state's radon program.*

26 *(d) The report to parents required by paragraph (a) of this subsection shall also*
27 *contain the information specified in paragraph (c) of this subsection.*