UNOFFICIAL COPY 18 RS HB 33/EN

1 AN ACT relating to the overtaking of bicycles on a roadway.

## Be it enacted by the General Assembly of the Commonwealth of Kentucky:

3 → Section 1. KRS 189.300 is amended to read as follows:

2

12

13

14

15

16

17

21

- 4 (1) The operator of any vehicle when upon a highway shall travel upon the right side of 5 the highway whenever possible, and unless the left side of the highway is clear of all other traffic or obstructions for a sufficient distance ahead to permit the 6 7 overtaking and passing of another vehicle to be completed without interfering with 8 the operation of any vehicle approaching from the opposite direction or any vehicle 9 being overtaken. The overtaking vehicle shall return to the proper traffic lane as 10 soon as practicable and, if the passing vehicle enters the oncoming traffic lane, 11 before coming within two hundred (200) feet of any approaching vehicle.
  - (2) The operator of any vehicle moving slowly upon a highway shall keep his vehicle as closely as practicable to the right-hand boundary of the highway, allowing more swiftly moving vehicles reasonably free passage to the left, unless signage or markings indicate otherwise.
    - → Section 2. KRS 189.340 is amended to read as follows:
- Vehicles overtaking other vehicles proceeding in the same direction shall pass to the (1) 18 left of them and shall not again drive to the right until reasonably clear of those 19 vehicles. Vehicles overtaking streetcars may pass either to the right or left when so 20 directed by a police officer, when on a one (1) way street or where the location of the tracks prevents compliance with this section, with regard for other traffic.
- 22 (2) Vehicles overtaking a bicycle proceeding in the same direction shall:
- If there is more than one (1) lane for traffic proceeding in the same 23 24 direction, move the vehicle to the immediate left, if the lane is 25 available and moving in the lane is reasonably safe; or
- If there is only one (1) lane for traffic proceeding in the same 26 direction, pass to the left of the bicycle at a distance of not less than 27

HB003320.100 - 1 - XXXX Engrossed UNOFFICIAL COPY 18 RS HB 33/EN

1			three (3) feet between any portion of the vehicle and the bicycle and
2			maintain that distance until safely past the overtaken bicycle. If space
3			on the roadway is not available to have a minimum distance of three
4			(3) feet between the vehicle and the bicycle, then the driver of the
5			passing vehicle shall use reasonable caution in passing the bicyclist.
6	!	( <b>b</b> )	The driver of a motor vehicle may drive to the left of the center of a
7			roadway, including when a no-passing zone is marked in accordance with
8			subsection (6) of this section, to pass a person operating a bicycle only if the
9			roadway to the left of the center is unobstructed for a sufficient distance to
10			permit the driver to pass the person operating the bicycle safely and avoid
11			interference with oncoming traffic. This paragraph does not authorize
12			driving on the left side of the center of the roadway when otherwise
13			prohibited under state law.
14	!	(c)	The operator of a bicycle shall not ride more than two (2) abreast on a
15			single highway lane unless operating on any part of the roadway marked
16			exclusively for bicycle use. Persons riding two (2) abreast shall not impede
17			the normal and reasonable movement of traffic.
18	<u>(3)</u>	The	operator of a vehicle may overtake and pass upon the right of another vehicle
19		only	under the following conditions:
20		(a)	When the vehicle overtaken is making or about to make a left turn;
21		(b)	Upon a roadway with unobstructed pavement of sufficient width for two (2) or
22			more lines of vehicles moving lawfully in the direction being traveled by the
23			overtaking vehicle.
24	<u>(4)</u> [(3	<del>)]</del>	The operator of a vehicle may overtake and pass another vehicle upon the
25	1	right	only under conditions permitting such movements in safety. Such movement
26	1	shall	not be made by driving off the roadway unless passing vehicle comes to a
27		comp	plete stop and such movement may be made safely.

UNOFFICIAL COPY 18 RS HB 33/EN

(5)[(4)] No vehicle shall be driven to the left side of the center of the roadway in
overtaking and passing another vehicle proceeding in the same direction unless the
left side is clearly visible and free of oncoming traffic for a sufficient distance ahead
to permit overtaking and passing to be completely made without interfering with the
safe operation of any vehicle approaching from the opposite direction or any vehicle
overtaken. In every event, the overtaking vehicle must return to the right-hand side
of the roadway before coming within two hundred (200) feet of any vehicle
approaching from the opposite direction.

(6)[(5)] The commissioner of highways is hereby authorized to determine those portions of any highway where overtaking and passing or driving to the left of the roadway would be especially hazardous and may by appropriate signs or markings on the roadway indicate the beginning and end of such zones, and when such signs or markings are in place and clearly visible to an ordinarily observant person, every driver of a vehicle shall obey the directions thereof, except as provided for in

subsection (2)(b) of this section.

(7)[(6)] Whenever any roadway has been divided into three (3) clearly marked lanes for travel, the following additional rules shall apply:

- (a) A vehicle shall be driven as nearly as may be practical entirely within a single lane and shall not be moved from that lane until the driver has first ascertained that the movement can be made with safety;
- (b) A vehicle shall not be driven in the center lane except when overtaking and passing another vehicle where the roadway is clearly visible and the center lane is clear of traffic within a safe distance, or in preparation for a left turn or where a center lane is at the time allocated exclusively to traffic moving in the direction in which the vehicle is proceeding and is signposted to give notice of the allocation; and
- (c) Official signs may be erected directing slow-moving traffic to use a

HB003320.100 - 1 - XXXX Engrossed

UNOFFICIAL COPY 18 RS HB 33/EN

designated lane or allocating specified lanes to traffic moving in the same

	Č	& i	E			
2	direction and op	erators of vehicles shall obey	the directions of such signs.			
3	(8) $[(7)]$ A vehicle shall	not be driven in the left lane	of any limited access highway of			
4	four (4) lanes or more with a posted speed limit of at least sixty-five (65) miles p					
5	hour, except in overtaking a slower vehicle, yielding to traffic coming onto such					
6	highway, or when traffic conditions exist which would prohibit safe use of the righ					

1

7

11

12

13

14

15

16

17

or center lanes.

- 8 (9)([8)] (a) The operator of a motor vehicle shall not follow another vehicle more closely than is reasonable and prudent, having regard for the speed of the vehicle and the traffic upon and condition of the highway.
  - (b) The operator of any motor truck, semitrailer truck, bus, or heavy construction equipment unit, when traveling upon a highway outside of a business or residential district, shall not follow within two hundred fifty (250) feet of another such vehicle or equipment unit. This subsection shall not prevent overtaking and passing, nor shall it apply to any lane specially designated for use of motor trucks or semitrailer trucks, buses or heavy construction equipment units.

HB003320.100 - 1 - XXXX Engrossed